



The Fork & Blade

THE PUBLICATION OF THE LINCOLN OWNERS' CLUB INC.



VOLUME 19 NO. 5

SEPTEMBER-OCTOBER 1980



The Fork & Blade

(USPS 055-430)
Lincoln Owners' Club Inc.
P.O. BOX 189
Algonquin, Il. 60102

EDITOR
Rick Zobelein

CLUB OFFICERS

President..... S. Stensland
Vice President..... V. Jansen
Secretary..... V. Jansen
Treasurer..... K. Pearson

DIRECTORS

Western Area..... T. Powels
Membership..... P. Hubbell
Activities..... D. Chapman
Technical
L Series..... K. Pearson
K Series..... D. Price
Club Projects..... H. Harper

THE LINCOLN OWNERS' CLUB, INC. is a non-profit membership corporation chartered in the state of Connecticut. The purpose of the club is to further the restoration and preservation of Lincoln Motorcars produced through 1940 with the exception of the Zephyr and Continental. By providing a channel of communication, the club strives to bring together in good fellowship all who own or admire these fine examples of automotive craftsmanship.

THE FORK & BLADE (USPS 055-430) is the official publication of the Lincoln Owners' Club and is published bi-monthly at 821 W. Chicago St. (Box 189), Algonquin, Il. 60102. Second class postage paid at Algonquin, Il. Articles and opinions expressed herein do not necessarily represent the views of the officers, editor, or membership. Every attempt is made to publish accurate and beneficial information; however, no responsibility is assumed by the club for damages incurred or losses sustained as a result of this information. Material submitted for publication should be mailed to:

EDITOR
FORK & BLADE
2510 Alameda
San Mateo, Ca. 94403

PUBLICATION DEADLINES

December 15..... Jan.-Feb. Issue
February 15..... March-April Issue
April 15..... May-June Issue
June 15..... July-August Issue
August 15..... Sept.-Oct. Issue
October 15..... Nov.-Dec. Issue

MEMBERSHIP DUES are \$10.00 a year, of which a portion is applied to a calendar year subscription to the FORK & BLADE magazine. Memberships are nonretroactive and commence on January 1 or date paid, and expire on December 31. New memberships received between November 1 and December 31 are valid for the remainder of the year in which paid, plus the following year.

Contents

VOLUME 19 NO. 5

SEPTEMBER-OCTOBER 1980

SPECIAL EDITION SERVICE BULLETIN INDEX

by

Leonard Piskiewicz
Santa Clara, Ca.

Notes: (1) Listings are by year and page number; e.g., 24-13 is the 1924 issue, page 13.

(2) The notations (SI) and (SK) after page listings indicate that the items are found under the headings Service Information and Service Kinks, respectively.



Club Projects

1. 1924-1930 Lincoln Service Bulletins	\$ 30.00
2. 1931-1935 Lincoln Service Bulletins	25.00
3. Authentic Covers for 1924-1935 Lincoln Service Bulletins	5.00
4. L Lincoln Shop Manual	20.00
5. 1931-1938 Chassis Parts Catalog, (on 4 microfiche cards)	5.00
6. 1931-1937 Body Parts List Catalog, (on 8 microfiche cards)	5.00

If you have any questions or problems regarding the club projects please let Mr. Harper know. All L.O.C. reprints are sold on a money-back guarantee. You pay the postage and see that the item in question is returned in the same condition sent. Projects, Lincoln Owners Club, P.O. Box 189, Algonquin, Il. 60102.

LINCOLN SERVICE BULLETIN

- A -

Accessories, suppliers of, 26-22
Accessory parts, 30-52
Accessory shaft alignment, 29-20
Accessory shaft driving flange puller, 24-10
Acorn nuts, wheel, 28-24
Air cleaner, 26-17
Aluminum, polished, refinishing, 28-22
Anti-freeze solution, 26-44, 27-48, 28-30, 29-36 30-68
Auxiliary seat adjustment, 29-30
Auxiliary seats, type 147-A-B, 28-27
Axle, bent, 28-30

- B -

Backing light, 27-5
Battery box cover screw, 28-32(SI)
Battery box cover screwdriver, 24-12
Battery care, 30-42
Battery post extension, 27-20
Bearings, connecting rod, 29-6
Bearings, crankshaft, 25-33
Berline-Landaulet folding top, type 157, 28-10
Blocks, raising, 24-3
Bodies, closed, 24-17
Body bolts and shims, 29-35
Body parts, 24-20
Body servicing, 30-67
Body shims, 29-35, 40, 30-46
Body squeaks, 27-27(SK)
Body type numbers, 26-24, 28(correction)
Brake adjustment, 24-13, 26-46(Don'ts), 27-3
Brake band brackets, 28-12
Brake band exchange, 25-18
Brake bands, 26-28
Brake control lubrication, 27-24, 30-52
Brake drum, dust inside, 27-4(SK)
Brake, emergency, 25-40(SK), 29-12
Brake linings, 24-14, 28-4,9, 29-14
Brake, parking, 25-40(SK), 29-12
Brake pedal adjustment, 25-46
Brake shoe graphite insert jig, 29-20
Brake shoes, 30-56
Brake system lubrication, 27-24, 30-52
Brakes, 25-37,39, 27-1,17
Brakes, squeaking, 26-8

LINCOLN SERVICE BULLETIN

Building, sales and service, 26-1
Bulletin, service, see Service bulletin
Bumpers, rear, 24-5
Bushing tool, spring shackle, 26-42

- C -

Camber, 29-10
Camshaft, 24-26
Camshaft bushings, 26-46(Don'ts)
Camshaft exchange, 25-17
Camshaft timing, 27-4(SK)
Canopy installation, type 184, 30-63
Carbon cleaning, 27-27(SK)
Carburetor, 27-45
Carburetor air cleaner, 26-17
Carburetor backfiring, 25-20(SK)
Carburetor controls, 29-39
Carburetor float level, setting, 27-33
Carburetor jets, 29-26
Car covers, 24-19, 37, 25-8, 14, 28-28, 29-12, 28, 30-56
Castor, 29-10
Chain eccentric, 26-21
Chassis, 150" WB, 26-8
Chassis testing, 25-5
Circuit breaker, 25-16(SK), 26-11
Cleaners and polishes, 25-19
Cleaning Haartz material tops, 30-66
Clock, electric, 29-18, 40, 30-56, 62
Clock, Waltham, 25-4
Closed bodies, 24-17
Clutch, 25-44, 27-21
Clutch assembly fixture, 27-23
Clutch pedal adjustment, 25-46
Clutch plate exchange, 24-44
Clutch plate installation, 26-4(SK)
Clutch plates, 27-16
Clutch release arm rod, 28-26
Clutch release bearing lubrication, 25-32(SK)
Clutch shaft nut wrench, 27-34
Coil, Ignition, 24-21, 28-13
Coincidental lock, 27-37, 39
Cold weather care, 24-41, 48, 25-40, 26-39, 30-68
Cold weather operation, 29-36
Compressor, piston ring, 29-5
Condenser, changing, 26-38
Condenser tank, 26-4(SK), 27-39
Connecting rod bearings, 29-6

Connecting rods, 24-45
 Covers, car, see Car covers
 Cowl ventilator leaks, 30-66
 Crankcase, 28-36(SI)
 Crankcase manufacturing department, 25-1
 Crankcase numbers, 29-8(SI)
 Crankcase replacement, 27-16
 Crankshaft bearings, 25-33
 Crankshaft exchange, 24-38
 Crankshaft oil plug removing tool, 28-20
 Curtain fastener tools, 26-40
 Cylinder block exchange, 28-28(SI), 29-11,24
 Cylinder blocks, 24-22
 Cylinder bore, 27-39
 Cylinder bore gauge, 25-12, 28-8,24(SI)
 Cylinder head and manifold nut wrench, 29-15
 Cylinder head handles, 26-32
 Cylinder heads, cleaning, 24-20(SK)

- D -

Dash insulator, 28-19
 Dash lamp bulbs, 26-11
 Defective parts, 29-4
 Differential gear mounts, 26-16,24, 27-19, 28-25,33, 29-26
 Disc wheel carrier, 29-30
 Disc wheels, 24-22
 Distributor, 27-32
 Distributor breaker point honing tool, 24-11, 26-6,12
 Distributor breaker points, 26-46(Don'ts), 30-60
 Distributor cam, 26-6
 Distributor cover, 26-16(SK)
 Distributor removal and installation, 26-38
 Distributor rotor, 26-16(SK)
 Distributor squeaks, 26-8
 Domelamp bulbs, 26-11
 Don'ts, 26-46
 Door bumpers, 30-50
 Door dovetails, 30-66
 Door handles, 30-55
 Door hinges, 30-67
 Door locks, 30-63
 Dovetails, door, 30-66
 Dowel puller, 28-15
 Drip moulding, roof, 30-62
 Driveshaft grease retainer, 27-28
 Dust shield drilling tool, 28-26, 29-4,11
 Dust shields, 29-4

- E -

Electric clock, 29-18,40, 30-56,62
 Electro-fog mechanism, 25-6,18, 27-24,39
 Emergency brake, 25-40(SK), 29-12
 Emergency lamp, 28-20(SI), 27-42
 Engine balancing, 25-25
 Engine cleaning, 26-4,12(SK), 27-30
 Engine installation, 28-36(SI)
 Engine lubrication, 29-16
 Engine oil, 24-22,48
 Engine racing, 26-46(Don'ts)
 Engine rear support screw wrench, 26-19
 Engine removal from chassis, 26-8(SK),12(SK)
 Engine stand, 25-33
 Engine testing, 25-21
 Engine tuning, 26-45
 Exchange parts, 29-20

- F -

Fan, 28-26, 30-46
 Fan, lubrication, 30-62
 Fan pulley, 26-43
 Fan shrouds, 27-39
 Fender guards, rear, 24-5
 Fenders, 27-39
 Fenders, drilling, 27-23
 Fenders, prices, 25-18
 Floorboard squeaks, 26-8
 Flywheel housing drain plug, 24-38
 Foreign service, see Service, foreign branches
 Frame, 29-23
 Frame, bent, 28-30
 Freewheeling transmission, 30-70
 Front axle, 27-13
 Front axle bushing tools, 24-10, 27-35
 Front axle spindle bolt lubrication, 30-51
 Front wheel alignment, 29-10,19
 Front wheel felt retainer wrench, 25-43
 Fuel pump, 25-8
 Fuel pump flapper valve, 24-12

LINCOLN SERVICE BULLETIN

- G -

Gaskets, 26-31, 28-12(SI)
 Gaskets, cork, 27-20
 Gasoline, 24-7
 Gasoline gauge, 25-29, 34(correction), 27-27, 42, 28-22, 29-26,
30-56
 Gasoline tank unit, 25-31
 Gasoline tank valve, 24-8(SK)
 Gear mounts, 26-16, 24, 27-19, 28-25, 33, 29-26
 Generator, 28-20(SI), 29-6, 27, 30-52
 Generator-accessory shaft alignment, 29-20
 Generator clutch, 25-13
 Generator clutch lubrication, 26-30, 27-8, 28-4
 Generator charging rate, 24-3, 28-28(SI), 29-34
 Glass, 26-10, 19
 Glass by body type
 type 101, 102, 103, 24-6
 type 104, 24-15
 type 105, 24-22, 23
 type 106, 24-27
 type 107, 24-31
 type 109, 24-35
 type 111, 112, 24-39
 type 113, 24-43
 type 114, 115, 24-47
 type 117, 118, 25-3
 type 123, 124, 25-7
 type 126, 25-11
 type 129, 25-15
 type 130, 25-7
 type 132, 133, 25-23
 type 134, 135, 25-35
 type 136, 25-27
 type 139, 25-47
 type 162, 167, 30-51
 Glass channel removal, 29-40
 Glass, rear quarter window, 30-58
 Glass, rear window, 29-40
 Glass scratches, 29-35
 Grease retainer, rear axle, 30-42
 Greyhound radiator cap, 26-33
 Grinding valves, see Valve grinding
 Guide, valve, 29-12(SK)

- H -

Haartz material tops, cleaning, 30-66

LINCOLN SERVICE BULLETIN

Handles, door, 30-55
Hard riding (cf. shock absorbers), 27-48, 29-20, 30(SK)
Headlamp alignment, 25-10
Headlamp bulbs, 25-44(SK), 26-11
Headlamp cover price correction, 29-16
Headlamp door gasket retainers, 29-6
Headlamp focusing, 26-47
Headlamp lens, 25-9
Headlamp removal, 24-8(SK)
Headlamps, 25-48, 27-9, 18
Hinges, door, 30-67
Hood, 26-20
Hood squeaks, 26-8
Hoo-dye, spring seat wrench, 25-43
Horn, 24-29
Horn button rattles, 27-36(SK)
Hub cap wire wheel, 28-35
Hub caps, 28-24(SI)

- I -

Ignition and lighting switch, 29-11, 19
Ignition coil, 24-21, 28-13
Ignition missing, 25-28
Ignition switch, 29-18, 30-46
Ignition system, 26-37
Ignition timing, 25-45, 26-12(SK)
Ignition wires, 25-42
Inspection lamp, 27-42, 28-20(SI)
Instrument board, 27-39, 41
Instrument board rattles, 24-4(SK)
Instrument panel, 29-22, 30(correction)
Intake manifolds, 28-35

- J -

Jack, 24-3, 25-20, 34(correction)
Jack, use under rear axle, 30-51
Jump seat adjustment, 29-30
Jump seats, type 147-A-B, 28-27

- K -

Keys and locks, 26-30

Keys, sale of, 30-52
King pin bushing reamers, 29-24

- L -

Lamp bulbs, 26-11
Landaulet folding top, type 157, 28-10
Lap robes, 28-27
License plate brackets, front, 24-16(SK)
Lifters, valve, see Valve tappets
Light bulbs, 26-11
Light bulbs, instrument and tail, 25-16
Lighting and ignition switch, 29-11, 19
Lock, coincidental, 27-37, 39
Lock, tire, 29-31
Locks and keys, 26-30
Locks, door, 30-63
Locks, Yale, 24-7
Lubrication, 30-60
Lubrication, cold weather, 26-39
Lubrication of braking system, 27-24
Lubrication of generator overrunning clutch, 26-30, 27-8
Lubrication of speedometer, 26-36
Lubrication, see also under individual component listings
Lug nuts, 28-24(SI)

- M -

Manifold and cylinder head nut wrench, 29-15
Manifolds, intake, 28-35
Moulding, roof cover finish, 30-62
Moulding, roof drip, 30-62
Muffler, 28-22, 24(SI)

- N -

New owners, 30-56
Nickel polish, 26-19, 27-34, 30-51

- O -

Oil filter, 28-17, 29-12(SK), 34, 30-58

LINCOLN SERVICE BULLETIN

Oil level indicator, 24-8(SK)
 Oil pressure, 29-16, 27-34
 Oil pressure gauge, 30-46, 58
 Oil pressure gauge pipe insert, 30-58
 Ornament, radiator, 26-33, 28-8, 29-16(SK)
 Owners, new, 30-56

- P -

Paint finish, 25-44(SK)
 Paint testing, 26-5
 Paint, touch-up, 28-28(SI)
 Parking brake, 25-40(SK), 29-12
 Part numbers, explanation, 26-8
 Parts exchanges, 28-32
 Parts exhibition stand, 26-2
 Parts, ordering, 29-30
 Parts stocks, 29-37
 Pedal adjustment, brake and clutch, 25-46
 Pinion bearing squeaks, 30-52
 Pinion shaft oil retainer, 30-52
 Piston pin bushings, 26-46(Don'ts)
 Piston pins, 24-34
 Piston ring compressor, 29-5
 Piston rings, 28-3(SK)
 Pistons, 24-2
 Polish and cleaners, 25-19, 26-32
 Polish, nickel, 26-19, 27-34, 30-51
 Prices, exchange, 25-24, 36
 Propeller shaft grease retainer, 27-28
 Puller, dowel, 28-15

- R -

Radiator baffle, 30-51
 Radiator brace rods, 27-26, 28-12(SI)
 Radiator cap, 26-11
 Radiator cap and greyhound ornament, 26-33, 28-8, 29-16(SK)
 Radiator cap, special, for lifting radiator, 27-36(SK)
 Radiator screen cleaning, 26-4(SK), 27-34
 Radiator thermostat, 24-8, 26-29, 29-20(SK)
 Rain gutter, 30-62
 Rattles, locating, 30-60
 Rear axle, 25-40(SK), 29-10
 Rear axle bent, 28-30
 Rear axle felt tool, 28-15

LINCOLN SERVICE BULLETIN

Rear axle gears, 26-46(Don'ts)
Rear axle grease retainer, 30-42
Rear axle, jacking, 30-51
Rear axle ratio location, 24-12
Rear axle servicing, 24-25
Rear axle shafts, 25-16
Rear wheel tread, 29-10
Refinishing body in polished aluminum, 28-22
Regulator, window, 30-50
Repair orders, 29-25
Resistance unit, ignition coil, 24-22
Rings, piston, see Piston rings
Robes, lap, 28-27
Roof cover finish moulding, 30-62
Roof covering, care of, 28-8
Roof drip moulding, 30-62
Rotor, distributor, 26-16(SK)
Runningboards, 27-39, 28-32

- 5 -

Sales and service, 28-21, 29-9
Sales and service building, 26-1
Seat cushions, 26-24(SK)
Seats, auxiliary, adjustment, 29-30
Seats, auxiliary, type, 147-A-B, 28-27
Service, 29-13, 17, 21, 29, 33, 30-49, 53, 57, 60, 61, 64, 65, 69
Service and sales, 28-21, 29-9
Service and sales building, 26-1
Service area, 26-20, 30-55
Service bulletin, 30-45
Service bulletin binders, 24-16
Service cars, 26-3, 20, 36, 27-29
Service follow-up, 26-6, 10, 30-41
Service, foreign branches, 25-24, 27-18, 28-28(SI), 29-15
Service garments, 24-46, 25-2, 26-7, 27-25, 28-16
Service Information, 28-12, 14, 20, 24, 28, 32, 36, 29-4, 8
Service Kinks (SK), 24-4, 8, 12, 16, 20, 25-16, 20, 24, 28, 32, 36, 40
26-4, 8, 12, 16, 24, 27-4, 20, 27, 32, 36, 28-3
29-12, 16, 20, 30
Service letter, 27-14
Service representative, 26-44
Service tools, 24-9, 10, 25-43, 26-12, 15, 28-15, 20, 23, 26,
29-4, 26, 30-47, 48, 50(correction), 58(correct)
Shift lever spring, 30-58
Shock absorbers, 24-33, 26-9, 27-48, 29-20, 30-55
Shock absorbers, adjustment, 27-4(SK), 29-4(SK), 40
Shock absorber wrench, 25-43
Shock damper, road, 30-56

Shop coats, see Service garments
 Showroom appearance, 25-24,26
 Shutters, radiator, 25-24(SK)
 Sidemount well tube protector, 29-4(SI)
 Sign, sales and service, 26-41
 Smoking sets and vanity cases, 26-3
 Spark plugs, 27-28,39,48, 28-20, 29-12(SK), 30-56
 Speedometer, 25-4, 27-39, 29-38
 Speedometer driving gear puller, 24-10
 Speedometer elbow, oil dripping from, 27-36(SK)
 Speedometer gears, 24-19, 27-40, 28-14, 29-16,39, 30-59
 Speedometer lubrication, 26-36
 Spring bolt pilot, 24-11
 Spring leaves, 27-15
 Springs, chassis, 28-28(SI)
 Springs, chassis, front, 30-59
 Springs, chassis, rear, 29-30(SK)
 Springs, chassis testing, 28-5
 Spring shackle bolts, 24-44
 Spring shackle bushing tool, 26-42
 Spring shackle lubrication, 27-27(SK)
 Springs, valve, see Valve springs
 Squeaks and rattles, 27-27(SK), 28-28(SI), 30-50,67
 Starter-generator, 25-42, 29-27
 Starter shaft lubrication, 24-20(SK)
 Starter shaft spring removing tool, 24-38
 Starting in cold weather, 24-48
 Starting with empty vacuum fuel pump, 25-8
 Steel spoke wheel carrier, 29-34
 Steel spoke wheels, 28-28(SI),29, 30-52
 Steering connecting rod wrench, 25-43
 Steering cross rod tool, 24-10
 Steering gear, 24-10,20, 25-22, 26-7, 27-31, 29-1, 30-43,56
 Steering gear adjustment, 27-32(SK), 30-59
 Steering gear grease, 27-36(SK)
 Steering sector thrust washer, 26-7
 Steering, stiff, 26-8(SK)
 Steering tube bearing, 28-11
 Steering tube pilot, 29-20
 Steering wheel, 25-41
 Steering wheel puller, 26-12
 Steering wheel, tilting, 26-3
 Stolen Lincoln, notice, 28-20
 Switch, ignition, 29-18, 30-46
 Switch, ignition and lighting, 29-1,19

LINCOLN SERVICE BULLETIN

- T -

Tail lamp bulbs, 26-11
 Taillight, 27-5, 29-3
 Tail pipe, 30-46
 Tappet adjustment, 25-36(SK), 27-20(SK), 27(SK), 29-15
 Tappets, 28-24(SI)
 Thermostat, radiator, 24-8, 26-29, 29-20(SK)
 Timing chain, 24-4,42, 26-13, 27-34
 Timing chain adjustment, 26-46(Don'ts)
 Timing chain installation, 28-3(SK), 29-4(SI)
 Timing, ignition, 25-45, 26-12(SK)
 Timing marks, flywheel, 24-34
 Timing, valve, 25-2
 Tire balancing marks, 27-20
 Tire covers, 29-27
 Tire dimensions, 28-32(SI)
 Tire lock, 29-31
 Tire pressure, 24-44, 27-16, 29-20
 Tire pump, 24-30
 Tire rim tool, 27-19
 Tires, 27-39
 Tires, steel spoke wheels, 29-11
 Tire valve caps, 25-8
 Toe board squeaks, 29-16(SK)
 Tool cabinet, 30-54
 Top, folding, Berline-Landaulet, type 157, 28-10
 Top installation tools, 26-40
 Torque tube wrench, 28-20
 Town car canopy installation, 30-63
 Transmission, free wheeling, 30-70
 Transmission lubricant, 25-40(SK)
 Trunk, 30-66
 Trunk for type 160, 29-6
 Trunk rack, 28-36(SI)
 Tube protector, wheel well, 29-4(SI)
 Tuning engine, 26-45
 Turning circle, 150"WB chassis, 26-8
 Turning radius, 27-32(SK)

- U -

Universal joint, 25-36(SK)
 Upholstery trim material, 26-28

- V -

Vacuum cleaner, 26-27, 27-16, 23(correction)
 Valve grinding and adjustment, 25-28, 27-27(SK), 29-8
 Valve grinding unnecessary, 29-15
 Valve guide, 29-12(SK)
 Valve lifter lubrication, 24-16(SK)
 Valve lifters, 28-24(SI)
 Valve rack, 24-7
 Valve seats, 28-32(SI)
 Valve seats, exchange cylinder blocks, 27-16
 Valve spring removal tool, 27-46
 Valve springs, 28-8, 32(SI), 29-12(SK), 23, 40, 30-51
 Valve Tappets, 28-24(SI)
 Valve tappet adjustment, 25-36(SK), 27-20(SK), 27(SK), 29-15
 Valve timing, 25-2
 Vanity cases, and smoking sets, 26-3
 Vibration damper, 28-1

- W -

Waltham service stations, 25-4, 22, 34, 26-23
 Water pump, 28-28(SI)
 Water pump-accessory shaft alignment, 29-20
 Water pump bearing puller, 24-10, 26-26
 Water pump packing, 26-25, 29-8(SI)
 Water pump packing tool, 26-26
 Wheel bearings, adjustment and lubrication, 29-8(SI)
 Wheel carrier, disc, 29-30
 Wheel carrier, steel spoke, 29-34
 Wheel hub, 27-36(SK)
 Wheel hubs and flanges, 28-11
 Wheel squeaks, 28-27
 Wheel tread, 29-10
 Wheel well tube protector, 29-4(SI)
 Wheels, steel spoke, 28-28(SI), 29, 30-52
 Wheels, wire, 26-24(SK)
 Wheels, wire, wrench for, 26-32
 Wheels, wood, 26-14
 Windlace, squeaks,, 26-8
 Window regulator, 25-26, 27-20, 30-50
 Window regulator handle, 26-12(SK)
 Windshield types 111, 112, 123, 124, 130, 151 30-62
 Windshield weather strip, 30-58
 Windshield wiper, 25-42
 Windshield wiper control, club roadster, 26-8
 Windshield wiper, double, 29-31
 Windwing brackets, 28-24(SI)

- V -

Vacuum cleaner, 26-27, 27-16, 23(correction)
 Valve grinding and adjustment, 25-28, 27-27(SK), 29-8
 Valve grinding unnecessary, 29-15
 Valve guide, 29-12(SK)
 Valve lifter lubrication, 24-16(SK)
 Valve lifters, 28-24(SI)
 Valve rack, 24-7
 Valve seats, 28-32(SI)
 Valve seats, exchange cylinder blocks, 27-16
 Valve spring removal tool, 27-46
 Valve springs, 28-8, 32(SI), 29-12(SK), 23, 40, 30-51
 Valve Tappets, 28-24(SI)
 Valve tappet adjustment, 25-36(SK), 27-20(SK), 27(SK), 29-15
 Valve timing, 25-2
 Vanity cases, and smoking sets, 26-3
 Vibration damper, 28-1

- W -

Waltham service stations, 25-4, 22, 34, 26-23
 Water pump, 28-28(SI)
 Water pump-accessory shaft alignment, 29-20
 Water pump bearing puller, 24-10, 26-26
 Water pump packing, 26-25, 29-8(SI)
 Water pump packing tool, 26-26
 Wheel bearings, adjustment and lubrication, 29-8(SI)
 Wheel carrier, disc, 29-30
 Wheel carrier, steel spoke, 29-34
 Wheel hub, 27-36(SK)
 Wheel hubs and flanges, 28-11
 Wheel squeaks, 28-27
 Wheel tread, 29-10
 Wheel well tube protector, 29-4(SI)
 Wheels, steel spoke, 28-28(SI), 29, 30-52
 Wheels, wire, 26-24(SK)
 Wheels, wire, wrench for, 26-32
 Wheels, wood, 26-14
 Windlace, squeaks,, 26-8
 Window regulator, 25-26, 27-20, 30-50
 Window regulator handle, 26-12(SK)
 Windshield types 111, 112, 123, 124, 130, 151 30-62
 Windshield weather strip, 30-58
 Windshield wiper, 25-42
 Windshield wiper control, club roadster, 26-8
 Windshield wiper, double, 29-31
 Windwing brackets, 28-24(SI)

Wire wheel carrier, 29-34
 Wire wheel hub, 27-36(SK)
 Wire wheel wrench, 26-32
 Wire wheels, 25-44, 26-24(SK)
 Wire wheels, see also Steel spoke wheels
 Wiring diagram by body type:
 type 118, 24-40
 type 123, 124, 24-19
 type 126, 24-24
 type 129, 24-36
 type 144, 26-35
 type 156, 28-7
 type 168-A, 173, 29-32
 type 702, 25-32
 Wiring diagram, chassis, 25-48, 27-7, 11, 47
 Wiring diagram, chassis and open type body, 29-7
 Wiring diagram, custom models, 28-31
 Wiring diagram, 4 pass. sedan, 24-28
 Wiring diagram, 7 pass. sedan, 24-32
 Wood wheels, 26-14

LINCOLN SERVICE BULLETIN

LINCOLN MOTOR COMPANY *Division of* FORD MOTOR COMPANY

JANUARY 1935

SERVICE BULLETIN INDEX



- A -

Accelerating pump adjustment, 32-115
 Air cleaner, 31-91, 32-108
 Antenna lead-in wire, 32-115, 32-138
 Antenna, radio, 31-87
 Antenna, radio, convertible bodies, 35-166
 Anti-freeze solution, 32-130, 34-155
 Automatic hood ventilators, 35-157
 Axle shafts, 34-155

- B -

Battery, 32-131, 35-170
 Battery clamp assembly, 32-128
 Battery service tools, 34-151
 Blocks, cylinder, 33-139
 Body drip moulding, 31-92
 Body type numbers, 34-154
 Body ventilation, 34-141
 Brake adjustment, 31-74
 Brake anchor pins, 31-94
 Brake booster, 31-96a, 98, 32-126
 Brake booster auto. control valve, 32-118
 Brake cable protectors, 32-103
 Brake drum spring, 35-158
 Brake linings, 32-128
 Brake shoes, 31-75, 94
 Brake shoe springs, 31-84
 Brake system lubrication, 31-76
 Brakes, 31-73, 34-142
 Bulletin, service, 32-120

- C -

Camber, 31-88
 Carburetor, 31-80, 89, 91, 32-107, 35-186
 Carburetor adjustment, 32-115
 Carburetor intake header, 31-91
 Car covers, 32-112
 Castor, 31-88
 Cleaning Haartz material, 32-128
 Cleaning leather, 32-115
 Cleaning upholstery, 32-128
 Clock, electric, 35-166

Clutch, 32-110
 Clutch, exchange, 32-111
 Clutch inspection cover, 32-107
 Clutch pedal adjustment, 31-80, 32-111
 Clutch release bearing grease cup, 31-88
 Coil output test, 35-183
 Cold weather care, 31-95, 32-125, 34-153
 Compression, 35-176
 Compression ratio, 35-177
 Compressor, piston ring, 32-103, 33-139
 Condenser, 35-182
 Condenser tank, 31-78
 Cooling system, 34-154
 Crankshaft counterweights, 32-108
 Crank, starting, 34-147
 Cylinder block exchange, 34-143
 Cylinder blocks, 33-139
 Cylinder bore gauge, 31-84, 32-114
 Cylinder head wrench, 35-166

- D -

Demonstrator cars, 32-109
 Distributor, 31-81, 32-117, 34-155, 35-167
 Door dovetail bumpers, 31-80
 Door handles, 32-108
 Door handle wrench, 31-94, 32-119
 Door locks, 32-112
 Door mouldings, 32-115
 Door pockets, 35-167
 Drip moulding, body, 31-92

- E -

Electrical equipment, 31-85
 Electrical equipment, care, 31-87
 Electric clock, 35-166
 Engine data, see engine specifications
 Engine front support, 31-92
 Engine idling, 33-139
 Engine oil, 32-103
 Engine oiling system, 33-134
 Engine specifications, 32-124, 33-140, 35-159
 Engine tuning, 32-120
 Engine, V-8, 32-101
 Engine, V-12, 33-133, 137

Exchange parts, 31-96, 32-111, 34-143, 156

- F -

Fan lubrication, 31-88
 Fan pulley puller, 32-122
 Fan shaft grease cup, V-12, 32-103
 Fenders, front, 32-120
 Freewheeling unit, 31-94, 32-107, 123
 Front engine support, 32-103
 Fuel pump, 31-78, 33-134, 35-184
 Fuel pump push rod, 34-146
 Fuel system, 31-77
 Fuel tank, 31-78

- G -

Gasoline gauge, tank unit, 31-92
 Gasoline tank valve wrench, 31-88
 Gear synchronizing unit, 32-106
 Generator, 31-85, 32-103, 34-146, 35-188
 Generator belt, 31-83
 Generator charging rate, 31-86, 32-102
 Grind-o-vac, 34-148

- H -

Haartz material, cleaning, 32-128
 Hand brake, 32-108
 Header, intake, 31-91
 Heater, 35-164
 High speed operation, 32-112
 High tension ignition wires, 34-148
 High tension wire sleeves, 32-128
 Hinge pin set screws, 32-114, 131
 Hood bracket, 32-108
 Hood bumpers, 31-94
 Hood ventilators, 35-157
 Horn, 31-88, 32-119

LINCOLN SERVICE BULLETIN

- I -

Idling, engine, 33-139
Idling speed, 32-102
Ignition, 31-81, 32-117
Ignition, primary, 35-178
Ignition, secondary, 35-180
Ignition switch, 34-154
Ignition wires, 34-148
Instruction books, 34-151
Instrument group, 33-138, 34-154, 35-165
Intake header, 31-91
Intake manifolds, 31-78

- L -

Lamp bulbs, 31-87, 32-123
Lamps & wiring, 35-191
Leather cleaning, 32-115
Locks, door, 32-112
Lubricants, 32-103

- M -

Manifolds, intake, 31-78
Moulding, door, 32-115
Moulding, drip, 31-92
Mouldings, window, 32-126
Muffler, 32-119, 33-138, 35-167

- N -

New car owners, 32-129

- O -

Oil lines, 31-80
Oil temperature regulator, 34-144, 147
Overflow pipe extension, 32-102
Owner's manual, see instruction book

- P -

Parts, exchange, see exchange parts
 Piston pins, 34-146
 Piston ring compressor, 32-103, 33-139
 Pistons, 34-149
 Pistons, oversize, 34-146
 Pockets, door, 35-167
 Primary ignition, 35-178

- R -

Radiator overflow pipe extension, 32-102
 Radio, 33-140a
 Radio antenna, 31-87
 Radio antenna, convertible bodies, 35-166
 Radio antenna, lead-in wire, 32-115, 33-138
 Radio, rear compartment, 35-166
 Radio tubes, 35-192
 Rear axle cover reinforcement, 34-143
 Rear axle shafts, 31-80, 83(corrn.), 34-155
 Rear seat cushion, adjustable, 35-158
 Rear springs, 33-138, 34-151
 Relay & voltage regulator, 35-163
 Ring compressor, 32-103, 33-139

- S -

Seat cushion, adjustable, 35-158
 Seat cushions, 33-139
 Secondary ignition, 35-180
 Service, 31-93, 32-112, 113, 115, 121, 125, 34-145
 Service bulletin, 32-120
 Service tools 31-84
 Sheet metal parts, 34-146
 Shock absorbers, 32-123
 Spark plug cleaner, 34-151
 Spark plugs, 31-87
 Spark plug wires, 34-148
 Spark plug wire sleeves, 32-128
 Spark timing, 31-80, 82
 Specifications, engine, 32-124, 33-140, 35-159
 Specifications, general, 35-160
 Speedometer cable, 35-167

Speedometer gear ratios, 31-79, 32-103
 Spring bolt puller, 35-167
 Springs, rear, 34-151
 Starter switch, 34-151, 35-172, 175
 Starting crank, 34-147
 Starting motor, 31-86, 35-174
 Steering, 31-83
 Steering adjustment, 34-150
 Steering ball joint, 31-79
 Steering gear, 32-114, 33-139
 Steering roller shaft arm, 34-150
 Switch, ignition, 34-154
 Switch, starter, 34-151, 35-172, 175
 Synchronizing unit, 32-106
 Synchronizing unit wrench, 32-127

- T -

Test instructions, 35-169ff
 Test set instrument panel, 35-193
 Textoil cross, 31-83
 Timing chain, 31-79, 33-138
 Timing chain, automatic adjustment, 32-118
 Timing, spark, 31-80, 82
 Tire carrier, 32-108
 Tire mounting, 31-94
 Tools, 34-155
 Transmission, 32-105
 Transmission control housing, 32-115
 Transmission synchronizing unit, 32-106
 Transmission synchronizing unit wrench, 32-127
 Trunk, 32-131, 34-155
 Trunk rack, 33-139
 Tuning engine, 32-120

- U -

Universal joint lubrication, 31-92
 Universal joint wrench, 32-120
 Upholstery, 34-148
 Upholstery cleaning, 32-128

- V -

V-8 engine, 32-101
 V-12 engine, 32-97
 Vacuum pump, 33-134
 Valve grinding, 31-80, 34-148
 Valves, 34-147
 Valve springs, 34-148
 Valve tappet adjustment, 31-78
 Ventilation, body, 34-141
 Ventilators, hood, 35-157
 Voltage regulator, 35-163

- W -

Water pump, 32-102
 Water pump drive, 31-83
 Wheel & axle data, 31-88
 Wheel bearing lubricant, 32-108
 Window mouldings, 32-106
 Window regulator wrench, 32-119
 Windshield lock, 32-132
 Windshield wiper, 32-112
 Wiring & lamps, 35-191
 Wiring diagram, chassis, V-8, 31-82, 32-116
 Wiring diagram, chassis, V-12, 32-104, 33-136
 Wiring diagram, 271, 521 series, 34-152
 Wiring diagram, 301, 541 series, 35-168
 Wrenches, special, 34-155
 Wrench rack, 32-126